

# ALPIN

OUTDOOR ACTIVITIES



## ΠΛΗΡΗΣ ΚΑΤΑΛΟΓΟΣ ΣΕ ΤΟΞΑ - ΒΕΛΗ - ΒΑΛΙΣΤΡΕΣ

**B10017S-9010A1**  
Αχυρώνιος στόχος 90x90x5cm (10kgs)  
Περιέχει επιπλέον:  
1. Έναν χάρτινο στόχο 90x90cm  
2. Τέσσερα ειδικά καρφιά

**B10017E4**  
Στάχος με χρωματιστό πολυμερικό & EVA υλικό  
60x60x10  
Black EVA (3cm)  
Color Polymer (7cm)

**B10017**  
Στάχος με στώματα ακρρώδους ελαστικού με σπερενία βαση για επιδαπέδια τοποθέτηση  
85x65x10

**B-10015**  
Target Pin

**B10017WT-S**  
Εύλινος Σταν για τοποθέτηση στόχων  
1. 60x60x5cm (4.5kgs)  
2. 90x90x5cm (10kgs)

**TARGET PAPER**  
B10001C: 40cm  
B10001B: 60cm  
B10001 : 80cm  
Συμφωνα με τις προδιαγραφες της FITA

**B30021M**  
SPIDER STRING SILENCER  
BULK PACK



**RE-011G1**

Brace Height : 6.25"  
Draw Length: 21-28"  
Draw Weight: 15-20lbs  
Bow Length: 48.5"  
Limb: Fibreglass  
Riser: Aluminium Alloy - Magnesium  
Suggested Arrow: >28"  
Package includes: stick-on rest  
1-pin brass sight, sinble quiver,  
3 finger rollers, armguard,  
2\*26" fiberglass Arrows, Target  
face



**RE-011B**

Black coated edition

**CO-030B**

Weight: 1.8kg  
Length: 41-1/2"  
String Length: 29-1/2"  
Draw Length: 29"  
Draw Weight: 40-55lbs  
Axle to axle: 40-1/2"  
Limb: Compression molded  
Fiberglass  
Riser: Aluminium Alloy  
String: Dacron with Wire  
Speed: 230feet/sec  
Let off: 65%

**CO-030BL**  
LEFT HANDED



**CO-031G1-70**

Weight: 3.6lb  
Let off: 75%  
Brace Height : 7"  
Draw Length: 25-31"  
Draw Weight: 50-70lbs  
Axle to axle: 36.75"  
Limb: Compression molded  
Fiberglass  
Riser: Aluminium Alloy -  
Magnesium  
Speed: 310feet/sec  
Suggested Arrow: 28" ~ 30"



**CO-035SB**

Weight: 3.6lb  
Let off: 75%  
Brace Height : 7"  
Draw Length: 17-31"  
Draw Weight: 15-70lbs  
Axle to axle: 30"  
Limb: Compression molded Fibreglass  
Riser: Aluminium Alloy - Magnesium  
Speed: 310feet/sec  
Suggested Arrow: 28" ~ 30"

Package includes:  
2x 30" Carbon Arrow  
2x String Silencers  
1x 3-bolt Quiver Black  
1x Peek Sight  
1x Aluminum bow sight with three  
optic pin  
1x Biscuit Arrow rest  
1x String Stopper



**RE-019L**

Weight: 1.64kg  
Length: 62"  
String Length: 61"  
Draw Length: 28"  
Draw Weight: 30lbs  
Axle to axle: 64"  
Limb: Fibreglass Compression  
Riser: Aluminium Alloy  
String: Dacron  
Speed: 133feet/sec  
Suggested Arrow: 28" ~ 30"  
Package includes:  
Screw Arrow Rest, Basic Sight

**CR-011014**

Cocking Mechanism  
for CR-011A & CR-020G1

**CR-013B-175**

Weight: 2.5kg  
Power Stroke 10"  
Width: 26-3/5"  
Length w/Stirrup: 34 1/2"  
Draw Weight: 175lbs  
Limb: Compression Molded Fiberglass  
Barrel: Aluminium Alloy

Stock: Reinforced Composite  
Speed: 220 FPS  
Suggested bolt: D-018BM 16" Aluminum Bolt  
EXTRA: 3-DOT RED DOT SIGHT,  
COCKING ROPE, SHOULDER SLING,  
, 3-BOLT QUIVER/BK, 3X2219-16"  
ALUMINUM BOLTS, STRING WAX,  
GOGGLES

**CR-013008A**


FOOT STIRRUP WITH SCREW  
SET(FOR CR-013/CR-018)

**CR-018WA3**

Weight: 2.5kg  
Power Stroke 10"  
Width: 26-3/5"  
Length w/Stirrup: 34 1/2"  
Draw Weight: 150lbs  
Limb: Compression Molded Fiberglass  
Barrel: Aluminium Alloy  
Stock: Reinforced Composite  
Speed: 225/245 feet/sec  
Suggested bolt: D-018BM 16" Aluminum Bolt  
EXTRA: Red Dot, 6 arrow Quiver,  
String Wax, 4 Arrows Cocking Rope

**CR-0133BA**

Weight: 4.12kg  
Length: 36.3"  
String Length: 38"  
Axe to Axe: 28"  
Draw Weight: 185lbs  
Limb: Compression Molded Fiberglass  
Barrel: Aluminium Alloy  
Stock: Plastic  
Speed: 310 feet/sec  
Packing: 5pcs/ctn  
Suggested bolt: D-024M  
EXTRA: Red Dot, String Wax,  
Eyeglasses, 4 Arrows, Padded Shoulder  
String  
, 6 arrow Quiver



**LIMPCRAFT**

**CR-071MP**


Weight: 2.2kg  
Power Stroke 11"  
Width: 26-3/5"  
Length w/Stirrup: 33'  
Draw Weight: 175lbs  
Trigger: Anti-dry Fire Safety  
Limb: Compression Molded Fiberglass  
Barrel: Aluminium Alloy  
Stock: Reinforced Adjustable Composite  
Speed: 260 FPS  
Suggested bolt: D-018 16" Aluminum Bolt  
String stopper : Decelerates string and deadens vibration  
EXTRA: Cocking Rope, Red Dot, 3 arrow Quiver,  
String Wax, 4 16" Aluminum Arrow  
Design: Compacting crossbow design by  
swifting the grip forward to achieve more  
ergonomic design and operational balance

**CR-097AD130**

Weight: 2.35kg  
 Power Strook 7.5"  
 Width:  
 Length w/Stirrup: 21 1/2"  
 Draw Weight: 130lbs  
 Limb: Durable Compression Fiberglass sling Mount : Quick Detachable Sling Shoulder Mount.  
 Stock: AR15 Adjustable Stock  
 Speed: 270 feet/sec  
 PICATINNY RAIL : Allows A Variety Of Accessories To Be Added  
 FOREGRIP : Ergonomically Textured Grip.  
 STRING STOPPER : Decelerates string and lessens vibration  
 7. STRING STOPPER : Decelerates string and lessens vibration  
 PACKAGE INCLUDES  
 Suggested bolt: D-112 carbon Bolt  
 EXTRA: 5 x 7.5" Carbon Bolts (blue vanes , 100 grain tip) ,1x Aluminum red-dot Sight, 1x Fore grip, 1x Shoulder Sling, 1x Safety Glasses, 1x Butt Stock with buffer tube, 1x Stringer, 1x spare string + limb caps 1x lube wax

**D-110**

CARBON BOLT 7.6 mm  
 BLACK 7.5" / W/ 2" VANES

**D-11001-A**

HALF MOON NOCK - CARBON R9 BOLTS -  
 5PC 1BG EK CARD

**B20002G**

LIMB TIPS SET FOR R-SERIES

**CR-0901B-130**

LIMB-130LB (FOR CR-097AD130) WITH LIMB TIPS



**COBRA SYSTEM**

**B30002F-B**

VANES 2.0" NEON RED FOR R9

**B10029**


SQUARE RED DOT SIGHT

**B10018-3K**

RED DOT SIGHT 1x40

The 3 Dot Red Dot Crossbow Sight offers shooters from the novice level (just getting started) to the experienced shooter a high quality option at a great value.

The 3 Dot Red Dot features a 3 Dot vertical pattern that allows the user to sight in the top dot at their closest range, and in addition gain two more sighting points at yardages that will be determined by the speed of the bow and arrow weight. A typical sighting might be 20, 30, and 40 yards. Includes weaver style mounting hardware and multiple sighting distances. Adjustable brightness via numbered rheostat.

**B20004A**

FIBERGLASS LIMB BLACK  
 150LB (FOR CR-013/CR-018/  
 CR-006)

**B20004C**

LIMB-80LB (FOR CR-002/CR-039) WITH LIMB TIPS

## CROSSBOW ARROWS



**D-014**  
Plastic Bolt 6 1/2"  
05mm/18g  
(For pistol crossbow)



**D-015**  
Aluminium Bolt 6 1/2"  
05mm/18g  
(For pistol crossbow)



**D-062GC8**  
Alum Arrow COUNTRY CAMO with 125gr point  
Black 18"  
D: 8.9mm



42cm



8,8mm

48cm

**D-063B-SM**  
Alum Arrow with 125gr  
point Black 18"  
D: 8.8mm

**D-067BK**  
Carbon Arrow 9mm with 4"  
vanes Black 20"  
D:8.8mm

8.8mm  
51cm

8.9mm



STEALTH

Engineered to reduce sound signature with the patented SILENT System and low-vibration components. Ultra High-Speed Camo drive bolts at shooting speeds and fast transitions.

Robustized Urethane Interface Components are ergonomically designed to provide comfort and positive grip in every environment.

**BH-125**  
BroadHead 3-blades  
Red - Blue  
125gr  
3pcs



**D-09801**  
Fishing Tip 3-Pack



**D-09601**  
Shocker Point  
100/125grain 3-Pack



**B-10021**  
Cocking Roop



**D-008M-C**  
2018 Aluminium Bolt 16"  
08mm/23g  
6pcs

**D-024M-C**  
2019 Aluminium Bolt 20"  
09mm/33g  
6pcs

**D-011M-C**  
2018 Aluminium Bolt 14"  
08mm/19g  
6pcs



## CROSSBOW ARROWS



**B30006AK**  
JAG1 STRINGER

**B30016**  
R-SERIES STRINGER

**B30083**  
JAG II STRINGER

**D-16004**

Nock για βέλη

Energy  
cham  
Sharp**D-00104**

Nock για βέλη

**B30002F-B**Vaness 2"  
Suggested: R-series**B-30002A**Vaness 4"  
Suggested: D-030B, D-062**B-30002B**Vaness 2.5"  
Suggested: D-016A,  
D-081AK, D-038, D-011MC, D-  
008MC, D-024MC**B-30002D**Vaness 3"  
Suggested: D-062GCS  
D-063B, D-047, D-063B**B-10002L**

Fishing Rooler Rest

**B10002G**

Arrow rest - Antelope

**B10002GL**For left handle Για  
αριστερόχειρα**B-10002A**

Arrowrest Right

**B-10002C**

Arrowrest Left

**B10020**Finger Tab  
Προστατευτικό χεριού**B10020AL**For left handle  
Για αριστερόχειρα**B10020L**For left handle  
Για αριστερόχειρα**B10020R**For right handle  
Για δεξιά χειρανάρια**B10020R**For right handle  
Για δεξιά χειρανάρια**D-03004**




Nock για βέλη

**B30013B**COMPOUND BOW SIGHT  
BLACK 5 FIBER  
OPTIC PIN**J1817**

Sight set w/4pins

**B-30010**3 Pin Bow Sight  
3 ακίδων σκόπευτροSilent catching  
slide-in GapStiffness Formed  
FrameArrow Flying  
Neatly**B-10002N**

Capture Rest

**B-10004A**Armguard  
Προστατευτικό για  
τον αγκώνα**B10010A**Release aid (adjustable)  
Αποδιεθερωτής βέλους  
-ρυθμιζόμενος



**D-027A**  
Wooden Arrow 30"  
08m

BOW ARROWS

77.5cm

7.9mm

**D-081AK**  
Wooden Arrow 30"  
08m/23g

73.70cm

**D-038**  
Aluminum Arrow 29"  
Blue 6.35mm

6.3mm

**D-016A**  
Aluminium Arrow  
30" Blue  
D: 8mm

76.2cm

8mm

**ARROWS**

True flight builds consistency.

**B10003C3**  
3-arrow compact quiver  
Θήκη Τοξου για 3 βέλη  
προσαρμοζόμενη

ΓΙΑ ΤΟΞΑ ΚΑΙ ΒΑΛΙΣΤΡΕΣ ΜΕ ΤΗΝ ΚΑΤΑΛΛΗΛΗ ΥΠΟΔΟΧΗ



**B-10003B-AC**

6 arrow Quiver Autumn Camo  
Θήκη παραλαγής βαλιστράς για 6 βέλη προσαρμοζόμενη

6.7mm

68cm

**D-047**  
Fiberglass Arrow 26"  
Black 6.9mm

**D-030C**  
Carbon Fiber Arrow 30"  
Camo 7.5mm

**D-030B-C4**  
CARBON ARROW 7.8mm  
BLACK 30" / 4"  
VANES 2 YELLOW 1 RED  
6 PCS BOX

**B10016P**  
LUBEWAX FOR CROSS-BOW (6.5x1 .5cm)



**B-10012A**  
Arrow Holder



**BF-001**  
Σετ ψαρέματος για combow τόξο  
1pcs

**D-095**  
32" Solid Fibergalss Fishing Arrow w/Tip



**BF-004**  
Fishing String Reel



**D-062GCS**


Alum Arrow with 125gr  
point Black 16"  
Camouflage

42cm

8.9mm



**D-013Pr** ACTION FORCE PISTOL CROSSBOW OF LIEBAO SUB-DIVISION  
Aluminium Bolt 3" Blán  
Βαλιστράς Συγκεντρώσα  
30pcs (For pistol crossbow)

**F1 Self cocking**

Weight: 1.3lbs  
Width:  
Stroke Distance: 5"  
Length w/Stirrup:  
Draw Weight: 80lbs  
Limb: Durable Fiberglass  
Stock: Stainless Steel and ABS Plastic  
Speed: 160 feet/sec  
Adjustable sights, Automatic safety  
mechanism  
PACKAGE INCLUDES  
Suggested bolt: prince arrow  
EXTRA: Includes three bolts

**CR-039BK**

Weight: 0.9kg  
Length: 19 1/2"  
String Length 17 1/3"  
Draw Weight: 80lbs  
Limb: Compression Molded  
Fiberglass  
Riser, barrel, stock: Alu-  
minum Alloy  
Speed: 160 feet/sec  
Suggest Bolt: D-015A 6.5"  
Alum Bolt

**CR-039W**

Weight: 0.9kg  
Length: 19 1/2"  
String Length 17 1/3"  
Draw Weight: 80lbs  
Limb: Compression Molded  
Fiberglass  
Riser, barrel, stock: Alumin-  
ium Alloy  
Speed: 160 feet/sec  
Suggest Bolt: D-015A 6.5"  
Alum Bolt

**3A Self cocking**

Weight: 2lbs  
Width:  
Stroke Distance: 4.7"  
Length w/Stirrup:  
Draw Weight: 50lbs  
Limb: Durable Fiberglass  
Stock: Stainless Steel and ABS Plastic  
Speed: 140 feet/sec  
EXTRA: 3x LJ175 two feather fishing arrows  
3x LJ160 two feather hunting arrows, 3x feather  
hunting arrows, 3x LB25 fish line wheel, 6mm  
steel ball





**B10013D**  
Bow case-black/single  
Μαύρη θήκη τόξου/μονή




**B30032C2**  
RUBBER STABILIZER 3.5"



**B10032**  
CrossBow case-black/  
Μαύρη θήκη Βαλιστρας

**RE-012B**  
Brace Height : 6"  
Draw Length: 20-24"  
Draw Weight: 10-15lbs  
Bow Length: 48.5"  
Limb: Fibreglass  
Riser: Aluminium Alloy - Magnesium  
Suggested Arrow: >28"  
Package includes: stick-onrest, 1-pin brass sight, single quiver, 3 finger rollers, armguard, 2\*26" fiberglass Arrows, target face



**B-100030**  
Leather Quiver  
Θήκη για βέλη



**M115 Junior Bow**  
Weight: 0.45kg  
Brace Height:  
String Length: 36"  
Draw Weight: 10-15 lbs  
Bow Length: 36.6"  
Limb: Fibreglass  
Riser: Composite ABS Material  
Suggested Arrow: >28"  
Package includes: 1x Arm Protector, 1x Finger Tab 1x Bow string, 2x 24" sucker Bow



**F168C Wooden Re-curved Bow**  
Weight: 1.20kg  
Length: 68"  
Brace Height : 7.75-9"  
String Length: 68"  
Draw Length: 32"  
Draw Weight: 18-32lbs  
Limb: Fibreglass Compression  
Riser: Wooden composite  
String: Dacron  
Speed: 133feet/sec  
Suggested Arrow: 28" ~ 30"  
Package includes:



**B10020**

4x32 Οπτική για όπλα/ αεροβόλα οπτικά  
Αντανακλαστική οπτική Sight  
Επιπλεον: 11 / 20mm Rail Mount 2 τεμ.  
Βάσεις για στρεφέων  
Magn x Lens Aperture: 4x32  
Αύξηση: 4x  
Obj. Lens DIA: 1.25 "(32 mm)  
Πεδίο προβολής: 5.8°  
Άνοιγμα απελευθέρωσης: 3.15 "(80 mm)  
Μήκος: 10,23 "(260 mm)  
Οπτικό κάλυμμα  
Μέγεθος: 29,5 cm



**CR-2**  
 Σφρεντονα με Εξελιγμένο συστήμα ελατηρίου  
 Περιεχεμένα Φακός / Laser / Στηρίγμα καρπου / CR-201



**CR-1**  
 Σφρεντονα με Τρίπλο Λαστίχο  
 Περιεχεμένα Στηρίγμα καρπου / CR-101



**CR-101**  
 Τρίπλο λαστίχο για CR-1.



**CR-3**  
 Δυνατη Σφρεντονα με Εξελιγμένο Συστήμα Οπιλισης  
 Περιεχεμένα Φακός / Laser / Στηρίγμα καρπου / CR-201



weight:1943g

**CR-201**  
 Εξαιρετικό λαστίχο για CR-2

weight:8g

2.17inch  
(5.5cm)

14.57inch  
(37cm)

# ARROW CRAFT

ΒΑΛΙΣΤΡΕΣ

- CRS-002 STRING 17 1/4" (για 50LB/80LB)
- CRS-004 STRING 26 1/2" (για MK-120/150/CR-013A)
- CRS-003 STRING 28 3/4" (για MK-180)
- CRS-010 STRING (για MK-120) (για κωδικό CR-006/MK-150/MK-120/CR-013A)
- CRS-029 XBOW CABLE 27-1/2"PAIR (για κωδικό CR-011AMOJAVE/RATTLER)
- CRS-028 XBOW STRING 38" (για κωδικό CR-011A /MOJAVE/RATTLER)
- CRS-042 STRING 35 1/2" (για CR-020G1A)
- CRS-107K CABLE STRING 18 3/4" (για CR-097AD130)

**CO-001002**

Cable with wheel-2pcs  
set (For CO-001)

## ΤΟΞΑ

- CRS-032 STRING-46" (για κωδικό RE-010)
- CRS-034 CABLE STRING 41" (μα κωδικό CO-011)
- CRS-036 STRING-94 1/4" (για κωδικό CO-011)
- CRS-025 STRING-57" (για κωδικό RE-007/RE-009)
- CRS-006 STRING 47" (για κωδικό RE-001)
- CRS-005 STRING-29 1/2" (για κωδικό CO-030)
- CRS-021 STRING 49" (για κωδικό RE-006)
- CRS-009 STRING 61" (για κωδικό RE-002)
- CRS-026 STRING 58" (για κωδικό CO-005)
- CRS-027 CABLE STRING 40 1/4" (για κωδικό CO-005)
- CRS-059 STRING 59" (για κωδικό CO-015CBA)
- CRS-060 CABLE STRING 37 1/4" (για κωδικό CO-015CBA)
- CRS-084K-1 SHOOTING STRING BLACK για CO-035
- CRS-085K-1 SPLIT STRING BLACK για CO-035 ASSASSIN 32 3/4"
- CRS-102 SHOOTING STRING BLACK για CO-031G1-70
- CRS-103 SPLIT STRING BLACK για CO-031G1-70
- CRS-168 STRING για Τόξο 66" 168C
- CRS-012K STRING για Τόξο RE-012B - CHAMELEON / RE-004B - ORUSADER

# ΧΟΡΔΕΣ & ΚΑΛΩΔΙΑ

## STRING WORK

### D-067BK , specifications for crossbow bolts

ITEM	Spine tolerance	Straightness	O.D (Inch)	G.P.I (+/- 0.15)	LENGTH (Inch)
Crossbow	+/-10	< 0.003	0.338	11.6	20

### D-030B-C4 , specifications for bow arrows

ITEM	Spine tolerance	Straightness	O.D (Inch)	G.P.I (+/- 0.15)	LENGTH (Inch)
SPINE 400	+/-10	S 0.006	0.287	8.0	30

The shorter length is more stronger. For the bolts, we don't focus on the spine but straightness

Ομίλος Εταιριών Alpin

TEL: (30)210-3476480

MOB: (30)6979223666

Aeropis 19 – 11852 Athens-Greece

hp: [www.kriona.gr](http://www.kriona.gr)

[www.alpin.com.gr](http://www.alpin.com.gr)



[www.alpin.com.gr](http://www.alpin.com.gr)

#ALPIN\_OUTDOOR\_CO



<http://bit.ly/2rcW5HP>

